

nº 94

A note on central idempotents
in group rings

Sônia P. Coelho

maio 1986

A NOTE ON CENTRAL IDEMPOTENTS IN GROUP RINGS

Sônia P. Coelho

Let G be a group and K a field. We denote by $U(KG)$ the group of units of the group ring of G over K and for a group X we denote by $T(X)$ the set of torsion elements of G , i.e., the set of all elements of finite order.

In the study of group-theoretical properties of $U(KG)$ it has been found that some conditions on this group lead to the fact that $T = T(G)$ is a group and every idempotent in KT is central in KG . For example, if K is a field of characteristic $p > 0$, this will happen when G is infinite, non abelian and $U(KG)$ is an FC-group [1, theorem A] or when G is nilpotent or FC, contains no p -elements and $T(U(KG))$ forms a subgroup [4, theorem 4.1]. This condition has also appeared in the description of the structure of some unit groups, as in [5, lemma VI.3.22].

In this note, we shall study this condition and determine what it will imply about the structure of the original group and the given field. We will consider only groups whose torsion elements form a locally finite group. This is the case in all the situations which were mentioned above.

We shall assume that K is a field of characteristic $p > 0$ and denote by $P(K)$ the prime subfield of K . Also, A will be the set of all p' -elements of G and P the set of all p -elements of G .

We prove the following:

Theorem: Let K be a field of characteristic $p > 0$ and G a group such that the torsion T of G forms a locally finite subgroup. Then, every idempotent of KT is central in KG if and only if:

- (i) A is an abelian subgroup of G .
- (ii) if A is non central, then the algebraic closure Ω of $P(K)$ in K is finite and for all $x \in G$ and all $t \in A$, there exist $r \in \mathbb{N}$ such that $xtx^{-1} = t^{p^r}$. Furthermore, for each such r , we have that $(\Omega : P(K)) \mid r$.
- (iii) P is a subgroup of G .
- (iv) $T = P \times A$.

Proof: Necessity: To establish (i), let $t \in G$ be a p' -element. Then, $e = o(t)^{-1}(1+t+\dots+t^{o(t)-1})$ is a central idempotent. Given $x \in G$, we have that $xex^{-1} = e$. By considering the supports of the elements in both sides of the equation, we see that $xtx^{-1} = t^i$, for some natural number i . Therefore, we have that $\langle t \rangle \triangleleft G$.

Now, A is an abelian or Hamiltonian group, by [6, p. 160]. But, if $A \supset K_8$, the quaternion group of order 8, then $p > 2$ and $P(K)K_8$ contains a matrix ring and hence a non central idempotent, a contradiction.

For (ii), let L be a finite subfield of K and $t \in A$ a non-central element. We have that $L \langle t \rangle = \bigoplus_i K_i$, a direct sum of fields, such that at least one of them, say K_1 , has the form $K_1 = L(\xi)$, where ξ is root of unity of order $o(t)$. Furthermore, the natural projection $L \langle t \rangle \rightarrow K_1$ sends t to ξ .

Given $x \in G$, we have that $xtx^{-1} = t^i$, for some i , as we have seen in the proof of (i). Hence, since every idempotent of KT is central, conjugation by x defines an automorphism ϕ of K_1 .

Suppose now that we have a natural number r such that $xtx^{-1} = t^{p^r}$. Then, $\phi(\xi) = \xi^{p^r}$. Since every element in the copy of L contained in K_1 is fixed by ϕ , we have that $k^{p^r} = k$, for all $k \in L$. Then L is contained in a field with p^r elements, i.e., $(L:P(K)) | r$. Now, it is easy to conclude that $(\alpha:P(K)) | r$, for each such r .

Let us now show that such an r actually exists. As K_1 is finite, ϕ is a power of the Frobenius automorphism of K_1 , say F , given by: $F(k) = k^p$, for all $k \in K_1$. If $\phi = F^r$, we have that $\phi(\xi) = \xi^{p^r}$, from which we conclude that $\phi(\xi) = \phi(t)$ divides $p^r - 1$, that is, $p^r \equiv 1 \pmod{\phi(t)}$, so $xtx^{-1} = t^i = t^{p^r}$.

For (iii) and (iv), we observe first that every p -element commutes with every p' -element. If not, consider $\pi \in P$ and $t \in A$ such that $\pi t \pi^{-1} = t^{p^r} \neq t$.

The group ring $P(K)\langle \pi, t \rangle$ is finite and, if J denotes its Jacobson radical, we have that $(P(K)\langle \pi, t \rangle)/J$ is semi-simple artinian. If it were abelian, then, denoting by \bar{x} the image of an element $x \in P(K)\langle \pi, t \rangle$ under the natural projection $P(K)\langle \pi, t \rangle \rightarrow (P(K)\langle \pi, t \rangle)/J$, we should have: $\bar{\pi} \bar{t} \bar{\pi}^{-1} = \bar{t}^{p^r} = \bar{t}$ or $\bar{t}^{p^r-1} = \bar{1}$.

But in this case $t^{p^r-1} - 1$ belongs to J , which is nilpotent. Hence, it is easy to see that t^{p^r-1} is a p -element. As it is also a p' -element, we have: $t^{p^r-1} = 1$, or $t^{p^r} = t$, a contradiction.

Then, $(P(K)\langle \pi, t \rangle)/J$ contains a matrix ring, hence a non-central idempotent. As J is nilpotent, $P(K)\langle \pi, t \rangle$ itself contains a non-central idempotent [3, Lemma 2.3.7], a contradiction.

As T is locally finite, it is easy to see now that P is a subgroup of G and $T = P \times A$, which proves (iii) and (iv).

Sufficiency: We now suppose that conditions (i) to (iv) hold, and set e an idempotent of KT with $e^2 = e$.

with $\alpha_{ij} \in K$, $g_i \in P$, $h_j \in A$, we see that $f = \sum_j (\sum_i \alpha_{ij}) h_j$ is an idempotent of KA , and $e-f = \delta \in \Delta(T, P)$, the kernel of the natural epimorphism $KT \rightarrow KA$.

As T is locally finite, by considering the subgroup generated by the g_i 's and the h_j 's we can conclude that δ is nilpotent. Furthermore, it is easy to see that δ commutes with f .

If $\delta^{p^n} = 0$, we have that $e^{p^n} = f^{p^n} + \delta^{p^n} = f^{p^n}$, that is, $e = e^{p^n} = f^{p^n} = f$. Then, e belongs to KA . Furthermore, by considering the subgroup generated by the support of e , we may suppose that A is finite.

If A is central, then e is central. If not, take $x \in G$. If $A = \langle t_1 \rangle \times \langle t_2 \rangle \times \dots \times \langle t_s \rangle$, a direct product of cyclic groups, we claim that we can choose a natural u such that $xt_i x^{-1} = t_i^{p^u}$, for all i . In fact, if $xt_i x^{-1} = t_i^{p^{u_i}}$, $1 \leq i \leq s$, and $xt_1 t_2 \dots t_s x^{-1} = (t_1 t_2 \dots t_s)^{p^u}$, we have: $t_1^{p^{u_1}} t_2^{p^{u_2}} \dots t_s^{p^{u_s}} = t_1^{p^u} t_2^{p^u} \dots t_s^{p^u}$. Therefore, $t_i^{p^{u_i}} = t_i^{p^u}$, and $xt_i x^{-1} = t_i^{p^u}$, for all i .

Now, e can be written in the form: $e = f(t_1, \dots, t_s)$ where $f(X_1, \dots, X_s)$ is a polynomial in the commuting variables X_1, \dots, X_s , with coefficients in the algebraic closure Ω of $P(K)$ in K . In fact, e is actually an idempotent of KA , with A finite abelian, hence e is a sum of primitive idempotents of ΩA [2, Theorem 2.12, p. 19].

Conjugating e by x , we obtain $xex^{-1} = f(t_1^{p^u}, t_2^{p^u}, \dots, t_s^{p^u})$. But from the hypothesis (ii) every $k \in \Omega$ satisfies $k^{p^u} = k$, hence this is true for the coefficients of f . Then $xex^{-1} = f(t_1^{p^u}, t_2^{p^u}, \dots, t_s^{p^u}) = (f(t_1, \dots, t_s))^{p^u} = e^{p^u} = e$, as we wanted to show.

REFERENCES

- [1] G.H. Cliff and S.K. Sehgal, Group rings whose units form an FC-group, *Mathematische Zeitschrift*, 161, 163-168(1978).
- [2] I.M. Isaacs, *Character group theory of finite groups*, Academic Press (1976).
- [3] D.S. Passman, *The algebraic structure of group rings*, Interscience, New York (1977).
- [4] C. Polcino Milies, Group rings whose torsion units form a subgroup II, *Communications in algebra*, 9(7), 699-712(1981).
- [5] S.K. Sehgal, *Topics in group rings*, Marcel Dekker, New York (1978).
- [6] H.J. Zassenhaus, *The theory of groups*, Chelsea Publishing Company, New York (1949).

Instituto de Matemática e Estatística
Universidade de São Paulo
Caixa Postal 20.570 - Ag. Iguatemi
01000 - São Paulo - Brazil

TRABALHOS DO DEPARTAMENTO DE MATEMÁTICA
TÍTULOS PUBLICADOS

- 80-01 PLETCH, A. Local freeness of profinite groups. 10 p.
- 80-02 PLETCH, A. Strong completeness in profinite groups. 8 p.
- 80-03 CARNIELLI, W.A. & ALCANTARA, L.P. de. Transfinite induction on ordinal configurations. 22 p.
- 80-04 JONES RODRIGUES, A.R. Integral representations of cyclic p -groups. 13 p.
- 80-05 CORRADA, M. & ALCANTARA, L.P. de. Notes on many-sorted systems. 25 p.
- 80-06 POLCINO MILIES, F.C. & SEHGAL, S.K. FC-elements in a group ring. 10 p.
- 80-07 CHEN, C.C. On the Ricci condition and minimal surfaces with constantly curved Gauss map. 10 p.
- 80-08 CHEN, C.C. Total curvature and topological structure of complete minimal surfaces. 21 p.
- 80-09 CHEN, C.C. On the image of the generalized Gauss map of a complete minimal surface in R^4 . 8 p.
- 81-10 JONES RODRIGUES, A.R. Units of ZCp^n . 7 p.
- 81-11 KOTAS, J. & COSTA, N.C.A. da. Problems of model and discussive logics. 35 p.
- 81-12 BRITO, F.B. & GONÇALVES, D.L. Álgebras não associativas, sistemas diferenciais polinomiais homogêneos e classes características 7 p.
- 81-13 POLCINO MILIES, F.C. Group rings whose torsion units form a subgroup II. Iv. (não paginado)
- 81-14 CHEN, C.C. An elementary proof of Calabi's theorems on holomorphic curves 5 p.
- 81-15 COSTA, N.C.A. da & ALVES, E.H. Relations between paraconsistent logic and many-valued logic 8 p.
- 81-16 CASTILLA, M.S.A.C. On Przymusiński's theorem. 6 p.
- 81-17 CHEN, C.C. & GOES, C.C. Degenerate minimal surfaces in R^4 . 21 p.
- 81-18 CASTILLA, M.S.A.C. Imagens inversas de algumas aplicações fechadas. 11 p.
- 81-19 ARAGONA VALLEJO, A.J. & EXEL FILHO, R. An infinite dimensional version of Hartogs' extension theorem. 9p.
- 81-20 GONÇALVES, J.Z. Groups rings with solvable unit groups. 15 p.
- 81-21 CARNIELLI, W.A. & ALCANTARA, L.P. de. Paraconsistent algebras. 16 p.
- 81-22 GONÇALVES, D.L. Nilpotent actions. 10 p.
- 81-23 COELHO, S.P. Group rings with units of bounded exponent over the center. 25 p.
- 81-24 PARMENTER, M.M. & POLCINO MILIES, F.C. A note on isomorphic group rings. 4 p.
- 81-25 MERKLEN GOLDSCHMIDT, H.A. Hereditary algebras with maximum spectra are of finite type. 10 p.
- 81-26 POLCINO MILIES, F.C. Units of group rings: a short survey. 32 p.
- 81-27 CHEN, C.C. & GACKSTATTER, F. Elliptic and hyperelliptic functions and complete minimal surfaces with handles. 14 p.
- 81-28 POLCINO MILIES, F.C. A glance at the early history of group rings. 22 p.
- 81-29 FERRER SANTOS, W.R. Reductive actions of algebraic groups on affine varieties. 52 p.
- 81-30 COSTA, N.C.A. da. The philosophical import of paraconsistent logic. 26 p.
- 81-31 GONÇALVES, D.L. Generalized classes of groups, spaces c -nilpotent and "the Hurewicz theorem". 30 p.
- 81-32 COSTA, N.C.A. da & MORTENSEN, Chris. Notes on the theory of variable binding term operators. 18 p.
- 81-33 MERKLEN GOLDSCHMIDT, H.A. Homogeneous λ -hereditary algebras with maximum spectra. 32 p.
- 81-34 PERESI, L.A. A note on semiprime generalized alternative algebras. 10 p.
- 81-35 MIRAGLIA NETO, F. On the preservation of elementary equivalence and embedding by filtered powers and structures of stable continuous functions. 9 p.
- 81-36 FIGUEIREDO, G.V.R. Catastrophe theory: some global theory a full proof. 91 p.
- 82-37 COSTA, R.C.F. On the derivations of gametic algebras. 17 p.
- 82-38 FIGUEIREDO, G.V.R. A shorter proof of the Thom-Zeeman global theorem for catastrophes of cod ≤ 5 . 7 p.
- 82-39 VELOSO, J.M.M. Lie equations and Lie algebras: the intrasitive case. 97 p.
- 82-40 GOES, C.C. Some results about minimal immersions having flat normal bundle. 37 p.
- 82-41 FERRER SANTOS, W.R. Cohomology of comodules II. 15 p.
- 82-42 SOUZA, V.H.G. Classification of closed sets and diffeos of one-dimensional manifolds. 15 p.
- 82-43 GOES, C.C. The stability of minimal cones of codimension greater than one in R^n . 27 p.
- 82-44 PERESI, L.A. On automorphisms of gametic algebras. 27 p.
- 82-45 POLCINO MILIES, F.C. & SEHGAL, S.K. Torsion units in integral group rings of metacyclic groups. 18 p.

- 82-46 GONÇALVES, J.Z. Free subgroups of units in group rings. 8 p.
- 82-47 VELOSO, J.M.M. New classes of intransitive simple Lie pseudogroups. 8 p.
- 82-48 CHEN, C.C. The generalized curvature ellipses and minimal surfaces. 10 p.
- 82-49 COSTA, R.C.F. On the derivation algebra of zygotic algebras for polyploidy with multiple alleles. 24 p.
- 83-50 GONÇALVES, J.Z. Free subgroups in the group of units of group rings over algebraic integers. 3 p.
- 83-51 MANDEL, A. & GONÇALVES, J.Z. Free k-triples in linear groups. 7 p.
- 83-52 BRITO, F.G.B. A remark on closed minimal hypersurfaces of S^4 with second fundamental form of constant length. 12 p.
- 83-53 KIIHL, J.C.S. U-structures and sphere bundles. 8 p.
- 83-54 COSTA, R.C.F. On genetic algebras with prescribed derivations. 23 p.
- 83-55 SALVITTI, R. Integrabilidade das distribuições dadas por subálgebras de Lie de codimensão finita no $gh(n,C)$. 4 p.
- 83-56 MANDEL, A. & GONÇALVES, J.Z. Construction of open sets of free k-Tuples of matrices. 18 p.
- 83-57 BRITO, F.G.B. A remark on minimal foliations of codimension two. 24 p.
- 83-58 GONÇALVES, J.Z. Free groups in subnormal subgroups and the residual nilpotence of the group of units of group rings. 9 p.
- 83-59 BELOQUI, J.A. Modulus of stability for vector fields on 3-manifolds. 40 p.
- 83-60 GONÇALVES, J.Z. Some groups not subnormal in the group of units of its integral group ring. 8 p.
- 84-61 GOES, C.C. & SIMÕES, P.A.Q. Imersões mínimas nos espaços hiperbólicos. 15 p.
- 84-62 GIAM BRUNO, A.; MISSO, P. & POLCINO MILIES, F.C. Derivations with invertible values in rings with involution. 12 p.
- 84-63 FERRER SANTOS, W.R. A note on affine quotients. 6 p.
- 84-64 GONÇALVES, J.Z. Free-subgroups and the residual nilpotence of the group of units of modular and p-adic group rings. 12 p.
- 84-65 GONÇALVES, D.L. Fixed points of S^1 -fibrations. 18 p.
- 84-66 RODRIGUES, A.A.M. Contact and equivalence of submanifolds of homogenous spaces. 15 p.
- 84-67 LOURENÇO, M.L. A projective limit representation of (DFC)-spaces with the approximation property. 20 p.
- 84-68 FORNARI, S. Total absolute curvature of surfaces with boundary. 25 p.
- 84-69 BRITO, F.G.B. & WALCZAK, P.G. Totally geodesic foliations with integral normal bundles. 6 p.
- 84-70 LANGEVIN, R. & POSSANI, C. Quase-folheações e integrais de curvatura no plano. 26 p.
- 84-71 OLIVEIRA, M.E.G.G. de Non-orientable minimal surfaces in R^N . 41 p.
- 84-72 PERESI, L.A. On baric algebras with prescribed automorphisms. 42 p.
- 84-73 MIRAGLIA NETO, F. & ROCHA FILHO, G.C. The measurability of Riemann integrable-function with values in Banach spaces and applications. 27 p.
- 84-74 MERKLEN GOLDSCHMIDT, H.A. Artin algebras wich are equivalent to a hereditary algebra modulo preprojectives. 38 p.
- 84-75 GOES, C.C. & SIMÕES, P.A.Q. The generalized Gauss map of minimal surfaces in H^3 and H^4 . 16 p.
- 84-76 GONÇALVES, J.Z. Normal and subnormal subgroups in the group of units of a group rings. 13 p.
- 85-77 ARAGONA VALLEJO, A.J. On existence theorems for the $\bar{\delta}$ operator on generalized differential forms. 13 p.
- 85-78 POLCINO MILIES, C.; RITTER, J. & SENGAL, S.K. On a conjecture of Zassenhaus on torsion units in integral group rings II. 14 p.
- 85-79 JONES RODRIGUES, A.R. & MICHLER, G.O. On the structure of the integral Green ring of a cyclic group of order p^2 . The Jacobson radical of the integral Green ring of a cyclic group of order p^2 . 26 p.
- 85-80 VELOSO, J.M.M. & VERDERESI, J.A. Three dimensional Cauchy-Riemann manifolds. 19 p.
- 85-81 PERESI, L.A. On baric algebras with prescribed automorphisms II. 18 p.
- 85-82 KNUDSEN, C.A. O impasse aritmo-geométrico e a evolução do conceito de número na Grécia antiga. 43 p.
- 85-83 VELOSO, J.M.M. & VERDERESI, J.A. La géométrie, le problème d'équivalence et le classification des CR-varietés homogènes em dimension 3. 30 p.
- 85-84 GONÇALVES, J.Z. Integral group rings whose group is solvable, an elementary proof. 11 p.
- 85-85 LUCIANO, O.O. Nebuleuses infinitesimement fibrées. 5p.
- 85-86 ASPERTI, A.C. & Dajczer, M. Conformally flat Riemannian manifolds as hypersurfaces of the 110th cone. 8p.

- 85-87 BELOQUI, J.A. A quasi-transversal Hopf bifurcations. 11p
- 85-88 POLCINO MILIES, C. & RAPHAEL D.M. A note on derivations with power central values in prime rings. 7
- 85-89 POLCINO MILIES. Torsion units in group rings and a conjecture of H.J.Zassenhaus. 14p
- 86-90 LOURENCO, M.L. Riemann domains over (DFC) spaces. 32p.
- 86-91 ARAGONA VALLEJO, A.J. & FERNANDES, J.C.D. The Hartogs extension theorem for holomorphic generalized functions. 9p.
- 86-92 CARRARA ZANETIC, V.L. Extensions of immersions in dimension two. 27p.
- 86-93 PERESI, L.A. The derivation algebra of gametic and zygotic algebras for linked loci. 25p.
- 86-94 COELHO, S.P. A note on central idempotents in group ring. 5p.