

Universidade de São Paulo
Instituto de Física de São Carlos

XIV Semana Integrada do Instituto de
Física de São Carlos

Livro de Resumos da Pós-Graduação

São Carlos
2024

Ficha catalográfica elaborada pelo Serviço de Informação do IFSC

Semana Integrada do Instituto de Física de São Carlos
(13: 21-25 ago.: 2023: São Carlos, SP.)
Livro de resumos da XIII Semana Integrada do Instituto de
Física de São Carlos – Universidade de São Paulo / Organizado
por Adonai Hilário da Silva [et al.]. São Carlos: IFSC, 2023.
358p.

Texto em português.

1.Física. I. Silva, Adonai Hilário da, org. II. Título.

ISSN: 2965-7679

16

Parametrization of perturbative QCD in tau hadronic decays

OLIVEIRA, Rita Natieli¹; BOITO, Diogo Rodrigues¹

rnatieli@usp.br

¹Instituto de Física de São Carlos - USP

The determination of the strong coupling, α_s , from the theoretical description of inclusive hadronic tau decays in Quantum Chromodynamics (QCD), is one of the most precise extractions from experimental data. (1) The theoretical description is dominated by perturbation theory but receives non-perturbative contributions from the Operator Product Expansion (2) and duality violations, which cannot be neglected. The standard approach is to build sum rules (3) where the QCD contribution is evaluated as closed-contour integrals in the complex plane. However, this method introduces complications related to the renormalization scale, notably in the perturbative series. Therefore, with its inherent complexity, the state-of-the-art five-loop QCD description is non-trivial. Although these complications are unavoidable in a realistic, high-precision analysis, it would be desirable to have a much simpler but reliable parametrization of the QCD result, including all correlations, to provide a simple interface with precision Electroweak Fits and Monte Carlo simulations for future accelerators, such as the FCC-ee. Furthermore, this parametrization could be applied in various fits where constraints from hadronic tau decays are of significant interest. In this work, we perform a parametrization for the perturbative QCD part, aiming to simplify the integration of theoretical predictions and check if this new version maintains the precision required.

Palavras-chave: QCD; Tau; Parametrization.

Agência de fomento: Fapesp (2023/14556-2)

Referências:

- 1 BOITO, D. *et al.* α_s from an improved τ vector isovector spectral function. **EPJ Web of Conferences**, v. 274, p. 03014, 2022.
- 2 BOITO, D.; GOLTERMAN, M.; K. MALTMAN, K.; PERIS, S. Strong coupling from hadronic τ decays: a critical appraisal. **Physical Review D**, v. 95, p. 034024, 2017.
- 3 BRAATEN, E.; NARISON, S.; PICH, A. QCD analysis of the tau hadronic width. **Nuclear Physics B**, v. 373, p. 581, 1992.