

Anais



VI Simpósio Internacional de Fissuras Orofaciais e Anomalias Relacionadas

A fronteira do conhecimento
na reabilitação das anomalias craniofaciais


25 e 26 de outubro de 2019, Bauru-SP

Realização:



Apoio:





REPORT CHARACTERIZING THE PERSON WITH DISABILITY: AN INSTRUMENT OF SOCIAL INCLUSION AT THE HOSPITAL FOR REHABILITATION OF CRANIOFACIAL ANOMALIES, UNIVERSITY OF SÃO PAULO

PEREIRA MR; BACHEGA MI, FERNANDES TFS

Hospital de Reabilitação de Anomalias Craniofaciais (HRAC-USP), Bauru-SP

OBJECTIVE: to verify the effectiveness of the report characterizing the person with disabilities among patients resident in Bauru/SP attending the Hospital for Rehabilitation of Craniofacial Anomalies of University of São Paulo from 2013 to June 2018. **METHODOLOGY:** This was a descriptive study with a quanti-qualitative approach and the data were collected by records analysis combined with the interview applied to 16 patients who received the report. For their characterization, the following was taken in consideration: socio-economic strata – according to the Social Work protocol – and clinic profile, both in the patients file. **RESULTS:** The predominant social strata was Low Superior Strata (75%). The speech disorder (unintelligibility) was detected in 68.5% of patients. The totality of patients (100.0%) requested the report in order to ensure insertion in the labor market in the quota for people with disabilities. Among the subjects, 81.25% declared that the report met their expectation. In the subject's conception about disability relating to cleft lip/palate, 56.3% considered themselves disabled and 68.75% reported not knowing the rights of the disable people. **CONCLUSION:** The results confirm the effectiveness of the report and detected the need to create legal mechanisms and devices which favor access to rights and policies favoring the social inclusion of these patients. There is a need to create instruments within health policies in order to consider people with cleft lip/palate and/or other craniofacial anomalies as disabled people during the rehabilitation process or permanently in case of sequelae.