

A
N
A
I
S

3º CONGRESSO INTERNACIONAL DE ENGENHARIA AMBIENTAL

VOLUME 1 A - RESUMOS



2
0
2
4

EDIÇÃO
LUSO-BRASILEIRA

Comissão Organizadora

Cristiano Poletto
Julio Cesar de Souza Inácio Gonçalves
Ivan Cesar Tremarin
Jorge Manuel Guieiro Pereira Isidoro
João Luís Mendes Pedroso de Lima
Rodrigo Jorge Fonseca de Oliveira Maia
André Luis Sotero Salustiano Martim
Maria Cristina de Almeida Silva
Cristiane Kreutz
Francisco Lledo dos Santos
Marcos Vinicius Costa Rodrigues

**ANAIS DO 3º CONGRESSO
INTERNACIONAL DE
ENGENHARIA AMBIENTAL**

VOLUME 1 A – RESUMOS

Copyright © 2024, by IAHR Publishing.

Direitos Reservados em 2024 por **IAHR Publishing.**

Organização Geral da obra: Poletto, Cristiano; Inácio Gonçalves, Julio Cesar de Souza; Tremarin, Ivan Cesar; Isidoro, Jorge Manuel Guieiro Pereira; de Lima, João Luís Mendes Pedroso; Maia, Rodrigo Jorge Fonseca de Oliveira; Martim, André Luis Sotero Salustiano; Silva, Maria Cristina de Almeida; Kreutz, Cristiane; dos Santos, Francisco Lledo; Rodrigues, Marcos Vinicius Costa.

Diagramação: Cícero Manz Fagotti

Edição: Cristiano Poletto

Revisão: Elissandro Voigt Beier

Capa: Cícero Manz Fagotti

Copyright © 2024, by IAHR Publishing.

Derechos Reservados en 2024 por **IAHR Publishing.**

Organización General de la Obra: Poletto, Cristiano; Inácio Gonçalves, Julio Cesar de Souza; Tremarin, Ivan Cesar; Isidoro, Jorge Manuel Guieiro Pereira; de Lima, João Luís Mendes Pedroso; Maia, Rodrigo Jorge Fonseca de Oliveira; Martim, André Luis Sotero Salustiano; Silva, Maria Cristina de Almeida; Kreutz, Cristiane; dos Santos, Francisco Lledo; Rodrigues, Marcos Vinicius Costa.

Maquetación: Cícero Manz Fagotti

Edición: Cristiano Poletto

Relectura General: Elissandro Voigt Beier

Portada: Cícero Manz Fagotti

Anais do 3º Congresso Internacional de Engenharia Ambiental - Volume 1 A / Organizadores: Cristiano Poletto, Julio Cesar de Souza Inácio, Ivan Cesar Tremarin, Jorge Manuel Guieiro Pereira Isidoro, João Luís Mendes Pedroso de Lima, Rodrigo Jorge Fonseca de Oliveira Maia, André Luis Sotero Salustiano Martim, Maria Cristina de Almeida Silva, Cristiane Kreutz, Francisco Lledo dos Santos, Marcos Vinicius Costa Rodrigues. Madrid, Espanha: - IAHR Publishing, 2024.

191p.: il.;

ISBN • 978-90-833476-4-6

CDD: 600

É AUTORIZADA a livre reprodução, total ou parcial, por qualquer meio, sem autorização escrita do Editor ou dos Organizadores.

ES AUTORIZADA la libre reproducción, total o parcial, por cualquier medio, sin autorización escrita del Editor o de los Organizadores.

Comissão Organizadora GERAL

Dr. Cristiano Poletto (PRESIDENTE)

IPH / UFRGS

Dr. Julio Cesar de Souza Inácio Gonçalves

UFTM

MSc. Ivan Cesar Tremarin

Associação dos Engenheiros Ambientais e Sanitaristas do Vale do Taquari RS - EASVA

Comissão Organizadora INTERNACIONAL

Dr. Jorge Manuel Guieiro Pereira Isidoro

Universidade do Algarve

Dr. João Luís Mendes Pedroso de Lima

Universidade de Coimbra

Dr. Rodrigo Jorge Fonseca de Oliveira Maia

Universidade do Porto

Comissão Organizadora NACIONAL

Dr. André Luis Sotero Salustiano Martim

UNICAMP

Dr.^a Maria Cristina de Almeida Silva

IPH/UFRGS

Dr.^a Cristiane Kreutz

UTFPR

Dr. Francisco Lledo dos Santos

UNEMAT

MSc. Marcos Vinicius Costa Rodrigues

FNEAS

Comissão Científica

Aline Ferrão Custódio Passini - UFSM
Álvaro José Back - EPAGRI/SC
Amintas Nazareth Rossete - UNEMAT
André Luis Sotero Salustiano Martim - UNICAMP
Andrezza Marques Ferreira - CEMADEN
Carla Eloísa Diniz dos Santos - UFTM
Carlos Alberto Mendes Moraes - UNISINOS
Cíntia Soares - UFSC
Claudia Telles Benatti - UEM
Cristiane Kreutz - UTFPR
Cristiano Poletto - IPH/UFRGS
Diego Andrade Lemos - UFSCAR
Elizabeth Yukiko Nakanishi Bavastri - UFPR
Felippe Fernandes - Complexo Hidrelétrico do Rio Madeira
Fernando Neves Lima - UNIFEI
Fernando Periotto - UFSCAR
Flavia Schwarz Franceschini Zinani - IPH/UFRGS
Franciéle Schwanck Carlos - IPH/UFRGS
Francisco Lledo dos Santos - UNEMAT
Geraldo de Freitas Maciel - UNESP
Jackeline Tatiane Gotardo - UNIOESTE
Joel Dias da Silva - FURB
João L. M. Pedroso de Lima – Univ. de Coimbra / Portugal
Jorge M. G. Pereira Isidoro - Univ. do Algarve / Portugal
José Anderson do Nascimento Batista - UNICAMP
José Augusto Costa Gonçalves - UNIFEI
José Carlos de Araújo - UFC
José Gilberto Dalfré Filho - UNICAMP
Josiane Teresinha Cardoso - UDESC
Julio Cesar de Souza Inácio Gonçalves - UFTM
Karina Bruno Lima - UFRGS
Laura Maria Canno Ferreira Fais - UNICAMP
Liliane Lazzari Albertin - UNESP
Liseane Padilha Thives - UFSC
Lucijane Monteiro de Abreu - UNB
Luis Eduardo A. S. Suzuki - UFPEL
Marcelo Giovanela - UCS
Márcia Teixeira Falcão - UERR
Maria Cristina de Almeida Silva - UFRGS
Maristela Denise Moresco Mezzomo - UTFPR
Michael Mannich - UFPR
Morgana Silva - UFPEL
Natan Padoin - UFSC
Patrícia Diniz Martins - UFTM
Pedro Alves da Silva Filho - UFRR
Renato Miranda - USP
Rodrigo J. F. O. Maia - Univ. do Porto / Portugal
Ronaldton Evandro Machado - UNICAMP
Sidnei Luís Bohn Gass - UNIPAMPA
Simone Andrea Furegatti - UNESP
Stenio de Sousa Venancio - UFTM
Tiago de Vargas - UFRGS
Viviane Trevisan - UDESC
Yuri Jacques Agra Bezerra da Silva - UFPI

RESUMOS



3º CONGRESSO INTERNACIONAL DE
**ENGENHARIA
AMBIENTAL**

– EDIÇÃO LUSO-BRASILEIRA –



2024

A MULTI-OBJECTIVE APPROACH TO URBAN FLOOD FORECASTING: CASE STUDY OF CAVEIRAS RIVER, LAGES, SANTA CATARINA

1Renata Bulling Magro, 2Silvio Luis Rafaeli Neto, 3Olavo Pedrollo, 4Alexandre C. Botazzo Delbem

1Universidade de São Paulo (USP), e-mail: renatamagro@usp.br; 2Universidade do Estado de Santa Catarina (UDESC), e-mail: silvio.rafaeli@udesc.br; 3Universidade Federal do Rio Grande do Sul, e-mail: pedrollo.olavo@gmail.com, 4Universidade de São Paulo (USP), e-mail: acbd@usp.br

Keywords: Multiple responses; Computational intelligence; Artificial neural network.

Abstract

In recent decades, floods have emerged as a growing global threat. The increase in urbanization of floodplain regions coupled with the impacts of climate change, has significant effects on the hydrological processes on Earth's surface (MILLER; HUTCHINS, 2017). To address this challenge, developing robust and accurate flood forecasting models is imperative. However, the complex interactions among hydrological and hydrodynamic factors within urban environments present a significant obstacle to developing such models (PARQUIER; BAZIN, 2014).

While physically-based models offer accurate representations of water flow and dynamics, their complexity and computational requirements often make them impractical for real-time flood forecasting. As an alternative, machine learning models can provide cost-effective solutions (MOSAVI, et al., 2018). Artificial Neural Networks (ANNs), for instance, offer advantages in flood disaster contexts due to their ability to learn from data and capture intricate relationships with less computational time, making them a valuable tool for flood forecasting. However, traditional ANN-based models often rely on upstream data to forecast downstream river levels, potentially introducing uncertainties when converting these forecasts into actual water depths across the urban floodplain (ALFIERI, et al. 2012). Additionally, predicting water depths at various locations in floodplains is highly valuable for disaster response agencies. This flood forecasting strategy, which considers spatialized multiple control points in space, can be translated into a multi-objective optimization problem. The multi-objective approach treats the accuracy of various control points as simultaneous goals, optimizing multiple objectives at once. This is different from single-objective algorithms that focus on a single criteria (or objective) (GASPAR-CUNHA; VIEIRA, 2005). In the context of this work, a multi-objective approach means predicting water depth at many points while exploring the trade-offs between their accuracy. This study aimed to investigate a multi-objective approach for multi-site water depth forecasting using ANNs.

The study area corresponds to Lages, Santa Catarina, Brazil, focusing on a section of the Caveiras River. Flood events from May 2005, August 2011, and June 2017 were selected for developing the ANN-based forecasting models. These events were chosen due to the significant negative impacts they caused on the urban floodplain residents. Two water depth control points (CAV3 and CAV4) were employed to assess the single and multi-objective approaches for flood forecasting water depth (Figure 1). The ANN models were fully implemented by the authors on MATLAB 2019a. Three-layer ANNs were used, consisting of an input layer, a hidden one, and an output one. Hydrographs from HEC-HMS 4.2 (FIELDMAN, 2000) and water depth from HEC-RAS 2D (BRUNNER, 2016) were used as input data. The output is the predicted water depth at each control point for the lead times of 3, 6, 8, 12, 14, 18, and 20 hours, respectively. These lead times were chosen to test the forecasting capability of the models. Data were partitioned into training, validation, and verification datasets. The final model performance was assessed with the verification dataset.




Figure 1: Schematic representation of the location of control points.



One of the great benefits of ANNs is their ability to generate multiple outputs for a given set of inputs. In this study, we investigated the use of single-objective and multi-objective ANNs. Initially, single-objective models were developed to forecast water depth at one individual control point. Subsequently, a multi-objective approach was utilized to simultaneously forecast water depth at multiple control points (Table 1). To evaluate the model's performance, we used the mean absolute error (MAE), the Nash-Sutcliffe coefficient (NS) (MORIASI, et al. 2015), and the 90th percentile (E90), which indicates the error values not exceeded in 90% of the predictions.

Spatial input information	Model	Objective
CAV3	ANN _{CAV3}	Accuracy of CAV3 forecasting (single-objective)
CAV4	ANN _{CAV4}	Accuracy of CAV4 forecasting (single-objective)
CAV3 and CAV4	ANN _{CAV3,4}	Accuracy of CAV3 and CAV4 (multi-objective)

Table 1: Summary of single and multi-objective models used to forecast water depth at each control point. The objective corresponds to the model's accuracy at each control point (single-objective) or both control points (multi-objective).

Figure 2 compares single and multi-objective models' performance using the verification dataset. The NS is dimensionless, ranging from -1 to +1, with +1 as optimal; MAE values are measured in meters, where lower values indicate superior performance. The NS results for an 8 h lead time were 0.96 or higher for all models (Figure 2). The MAE confirmed the good results, with less than 0.10 m for lead times from 3 h to 8 h. The multi-objective approach demonstrated superior performance in terms of E90, which was reduced for the lead times from 3 h to 18 h. The lower E90 values suggest the multi-objective model captured extreme values, such as peak values, with a small error.

Additionally, the multi-objective model demonstrated superior consistency compared to single-objective ones. When examining a lead time of 14 h, single-objective models had lower NS and higher MAE. In contrast, the multi-objective model was more stable for all lead times. It had less drastic variations. This stability may come from the joint optimization of both objectives in the multi-objective approach, unlike the individual optimization approach followed by the simpler alternative.

In this work we evaluated single- and multi-objective approaches to forecast distributed (spatialized) water depths at the urban floodplain. The multi-objective model was better at minimizing extreme errors and had more stable results. These findings translate to more robustness and reliability. The model's errors, which are inherent to any model, were less pronounced in the multi-objective approach. Furthermore, the multi-objective model was advantageous in delivering water depth forecasts at many control points across the floodplain. Future research will focus on automating multi-objective optimization of flood modeling techniques, ultimately contributing to more robust flood modeling outcomes.




Figure 2: Performance comparison of the single-objective and multi-objective ANNs at each control point (row) and for each evaluation metric (column) for the verification dataset.



Acknowledgments

The authors would like to thank the Center for Artificial Intelligence (C4AI-USP) and the support from the São Paulo Research Foundation (FAPESP grant #2019/07665-4) and from the IBM Corporation, and the CEPID-CeMEAI-ICMC-USP (CEPID, FAPESP grant #2013/07375-0); and Coordenação de Aperfeiçoamento de Pessoal de Nível Superior do Brasil (CAPES PROAP/AUXPE)—Finance Code 001. The authors thank Dr. Eric Keiji Tokuda for his significant contributions and support in refining this article.

Bibliographic References

- Paquier, A.; Bazin, P. H. 2014. Estimating uncertainties for urban floods modelling. *La Houille Blanche*, v. 6, p. 13-18.
- Mosavi, A.; Ozturk, P.; Chau, K.-w. 2018. Flood Prediction Using Machine Learning Models: Literature Review. *Water*, v. 10, p. 1536.
- Alfieri, L.; Salamon, P.; Pappenberger, F.; Wetterhall, F.; Thielen, J. 2012. Operational early warning systems for water-related hazards in Europe. *Environmental Science and Policy*, v. 21, p. 35-49.
- Brunner, G. W. 2016. HEC-RAS river analysis system user's manual: version 5.0. US Army Corps of Engineers, 962.
- Fieldman, A.D. 2000. HEC-HMS hydrologic modeling system user's manual: Technical Reference Manual. US Army Corps of Engineers.
- Miller, J. D.; Hutchins, M. 2017. The impacts of urbanisation and climate change on urban flooding and urban water quality: A review of the evidence concerning the United Kingdom. *Journal of Hydrology: Regional Studies*, v. 12, p. 345-362.
- Moriasi, D. N.; Gitau, M. W.; Pai, N.; Daggupati, P. 2015. Hydrologic and water quality models: Performance measures and evaluation criteria. *Transactions of the ASABE*, v. 58, p. 1763-1785.
- Gaspar-Cunha, A.; Vieira, A. 2005. A Multi-Objective Evolutionary Algorithm Using Neural Networks to Approximate Fitness Evaluations. *Int. J. Comput. Syst. Signals*, v. 6, p. 18-36.