



Journals ▼

Books

Publishing
Support

Login ▼

PAPER

Probing electroweak phase transition in extended singlet scalar model with resonant HH production in $bbZZ$ channel using parameterized machine learning

Pritam Palit and Sujay Shil

Published 28 August 2024 • © 2024 IOP Publishing Ltd. All rights, including for text and data mining, AI training, and similar technologies, are reserved.

Journal of Physics G: Nuclear and Particle Physics, Volume 51, Number 9

Citation Pritam Palit and Sujay Shil 2024 *J. Phys. G: Nucl. Part. Phys.* **51** 095005

DOI 10.1088/1361-6471/ad4fab

1. Received 12 December 2023

2. Revised 29 April 2024

Visualizar PDF **EN** 1ay 2024

... August 2024

Method: Single Anonymous

Revisions: 2

Screened for originality? Yes

Buy this article in print

 Journal RSS

 Sign up for new issue notifications

Abstract

In this paper, a collider signature of a heavy Higgs boson at 14 TeV HL-LHC is studied, where the heavy Higgs boson decays into a pair of standard model (SM) Higgs boson, which further decays to $bbZZ$ state and subsequently to $bb\ell^+\ell^- \nu_\ell \nu_\ell$ final state. To study this, we consider singlet scalar extension of the SM and select the parameter space and mass of the heavy Higgs boson such that it prefers a strong first-order electroweak phase transition (EWPT). The study is done following the $bbZZ$ analysis of CMS Collaboration and further using parameterized machine learning for final discrimination which simplifies the training process along with an improved discrimination between signal and background over the range of benchmark points. Despite the lower branching fraction, this channel can be a potential probe of the EWPT with the data sets collected by the CMS and ATLAS experiments at the 14 TeV HL-LHC with 3

ab^{-1} of integrated luminosity and a production of resonant di-Higgs signal can be potentially discovered up to 490 GeV of resonance mass.

Export citation and abstract

BibTeX

RIS

← **Previous** article in issue

Next article in issue →

Access this article

The computer you are using is not registered by an institution with a subscription to this article. Please choose one of the options below.

Login

Access through
USP - Universidade de Sao Paulo

IOPscience login

Purchase from

Article Galaxy

CCC RightFind

Purchase this article from our trusted document delivery partners.

Rent from



This article is available from DeepDyve.

Make a recommendation

To gain access to this content, please complete the Recommendation Form and we will follow up with your librarian or Institution on your behalf.

For corporate researchers we can also follow up directly with your R&D manager, or the information management contact at your company. Institutional subscribers have access to the current volume, plus a 10-year back file (where available).

You may also like

JOURNAL ARTICLES

CMS Physics Technical Design Report, Volume II: Physics Performance

Heavy Higgs bosons at the LHC upgrade

Boson-boson scattering and Higgs production at the LHC from a six fermion point of view: four jets + lv processes at $\mathcal{O}(\alpha_{em}^6)$

Further investigation of the model-independent probe of heavy neutral Higgs bosons at LHC Run 2

Exploration of heavy Higgs bosons at a 100 TeV hadron collider within the semi-constrained next-to-minimal supersymmetric standard model

A complete parton level analysis of boson-boson scattering and electroweak symmetry breaking in $\ell\nu$ + four jets production at the LHC

IOPSCIENCE

Journals

Books

IOP Conference
Series

About IOPscience

Contact Us

IOP PUBLISHING

Copyright 2024
IOP Publishing

Terms and
Conditions

Disclaimer

PUBLISHING SUPPORT

Authors

Reviewers

Conference
Organisers

Developing
countries access

Privacy and
Cookie Policy

IOP Publishing
open access policy

Text and Data
mining policy

Accessibility

IOP

