



Complete Genome Sequence of *Bacillus* sp. Strain RZ2MS9, a Multitrait Plant Growth Promoter

Maria Leticia Bonatelli,^{a,b} Jie Li,^b Aline Dumaresq,^c Maria Carolina Quecine,^a Matthew L. Settles^b

^aDepartment of Genetics, Luiz de Queiroz College of Agriculture/University of São Paulo, Piracicaba, São Paulo, Brazil

^bBioinformatics Core, University of California, Davis, California, USA

^cNational Industrial Training Service/Chemical and Textile Industry Technology Center, Rio de Janeiro, Rio de Janeiro, Brazil

ABSTRACT Here, we report the complete genome sequence of *Bacillus* sp. strain RZ2MS9, a plant growth-promoting bacterium isolated from the rhizosphere of guarana, a native crop from Amazonas, Brazil. The assembled genome comprises 5.35 Mbp, no plasmids, and a GC content of 35.22%.

The use of plant growth-promoting rhizobacteria (PGPR) in agriculture represents a more ecological approach to agricultural practices due to the decreased use of fertilizers and pesticides (1). This is possibly due to a number of mechanisms used by PGPR to promote plant growth, such as solubilization of mineral nutrients (2, 3), production of plant growth regulators (4, 5), acting as biocontrol agents (6), and others. Understanding the mechanisms by which PGPR promote plant growth is important for successful bioinoculant formulation.

Bacillus sp. strain RZ2MS9 was isolated from the rhizosphere of guarana, an important Amazon crop (7). This strain showed several *in vitro* plant growth-promoting features, such as nitrogen fixation, phosphate solubilization, and production of plant hormones and siderophores (7). Under greenhouse conditions, *Bacillus* sp. strain RZ2MS9 promoted the growth of maize (*Zea mays*) and soybean (*Glycine max*), enhancing shoot dry weights of both crops and root dry weight of maize (7). Due to its importance, a draft genome sequence of this bacterium was previously sequenced (8). However, it is fragmented, consisting of 33 contigs with an N_{50} value of 1,097,374 bp. Here, we present the complete continuous genome sequence of *Bacillus* sp. strain RZ2MS9, which can be used to better understand the mechanisms it uses in plant growth promotion.

Bacillus sp. strain RZ2MS9 was isolated in 10% tryptone soya agar (TSA) medium (7), and it was grown in Luria-Bertani (LB) broth (10 g · liter⁻¹ peptone, 5 g · liter⁻¹ yeast extract, 10 g · liter⁻¹ NaCl) at 28°C and 150 rpm for DNA extraction. Genomic DNA was extracted with the phenol-chloroform protocol (9). Sequencing was performed with a Pacific Biosciences (PacBio) Sequel sequencer at the National Industrial Training Service/Chemical and Textile Industry Technology Center in Rio de Janeiro, Brazil. The protocol for preparing multiplexed microbial libraries using the SMRTbell express template prep kit version 2.0 (Pacific Biosciences, CA) was followed to prepare the library, and sequencing was carried out in a single-molecule real-time (SMRT) cell (SMRT Cell 1M version 3) tray with a 2-h preextension time and 10 h of movie time.

CCS version 4.0.0 from SMRT Link version 8.0 (Pacific Biosciences) was used to generate highly accurate consensus sequences, and Canu version 1.8 (10) was used to assemble the genome. Arrow version 2.3.3 from the Genomic Consensus package (Pacific Biosciences) and Pilon version 1.23 (11) were used to polish the genome. Pilon used previously sequenced Illumina data (8). Default parameters were used for all software. Two PacBio runs generated a total of 188,742 subreads with an average of 8 subreads per zero-mode waveguide and 246-fold genome coverage.

Citation Bonatelli ML, Li J, Dumaresq A, Quecine MC, Settles ML. 2020. Complete genome sequence of *Bacillus* sp. strain RZ2MS9, a multitrait plant growth promoter. Microbiol Resour Announc 9:e00623-20. <https://doi.org/10.1128/MRA.00623-20>.

Editor David A. Baltus, University of Arizona

Copyright © 2020 Bonatelli et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Matthew L. Settles, settles@ucdavis.edu.

Received 1 June 2020

Accepted 4 July 2020

Published 30 July 2020

The final assembled genome consists of 1 chromosome of 5,357,194 bp, no plasmids, and a GC content of 35.22%. The continuity of the *Bacillus* sp. RZ2MS9 genome sequence has been significantly improved over that of the previously published genome sequence (8). Annotation was performed with the NCBI Prokaryotic Genome Annotation Pipeline (PGAP) (12) and revealed 5,468 genes with 5,315 coding sequences and 153 noncoding sequences (42 rRNAs, 106 tRNAs, and 5 noncoding RNAs [ncRNAs]).

Data availability. This whole-genome shotgun project has been deposited at GenBank under the accession no. [CP049978.1](https://doi.org/10.1093/bioinformatics/btad000). The version described in this paper is the first version. The raw reads are available under the BioProject accession no. [PRJNA343080](https://doi.org/10.1093/bioinformatics/btad000). The pipeline used in this assembly can be found at GitHub (<https://github.com/mlbonatelli/Bacterial-DNA-Assembly>).

ACKNOWLEDGMENTS

This work was supported by grants from the São Paulo Research Foundation FAPESP (2015/01188-9). We thank the MLB for funds received from Coordination for the Improvement of Higher Education Personnel (CAPES) scholarship no. 88882.317565/2019-01.

REFERENCES

- Gupta G, Parihar SS, Ahirwar NK, Snehi SK, Singh V. 2015. Plant growth promoting rhizobacteria (PGPR): current and future prospects for development of sustainable agriculture. *J Microb Biochem Technol* 7:96–102. <https://doi.org/10.4172/1948-5948.1000188>.
- Manzoor M, Kaleem AM, Sultan T. 2017. Isolation of phosphate solubilizing bacteria from maize rhizosphere and their potential for rock phosphate solubilization: mineralization and plant growth promotion. *Geomicrobiol J* 34:81–95. <https://doi.org/10.1080/01490451.2016.1146373>.
- Etesami H, Emami S, Alikhani HA. 2017. Potassium solubilizing bacteria (KSB): mechanisms, promotion of plant growth, and future prospects: a review. *J Soil Sci Plant Nutr* 17:897–911. <https://doi.org/10.4067/S0718-95162017000400005>.
- Bharucha U, Patel K, Trivedi UB. 2013. Optimization of indole acetic acid production by *Pseudomonas putida* UB1 and its effect as plant growth-promoting rhizobacteria on mustard (*Brassica nigra*). *Agric Res* 2:215–221. <https://doi.org/10.1007/s40003-013-0065-7>.
- Arkhipova TN, Prinsen E, Veselov SU, Martinenko EV, Melentiev AI, Kudoyarova GR. 2007. Cytokinin producing bacteria enhance plant growth in drying soil. *Plant Soil* 292:305–315. <https://doi.org/10.1007/s11104-007-9233-5>.
- Beneduzi A, Ambrosini A, Passaglia LMP. 2012. Plant growth-promoting rhizobacteria (PGPR): their potential as antagonists and biocontrol agents. *Genet Mol Biol* 35:1044–1051. <https://doi.org/10.1590/s1415-47572012000600020>.
- Batista BD, Lacava PT, Ferrari A, Teixeira-Silva NS, Bonatelli ML, Tsui S, Mondin M, Kitajima EW, Pereira JO, Azevedo JL, Quecine MC. 2018. Screening of tropically derived, multi-trait plant growth-promoting rhizobacteria and evaluation of corn and soybean colonization ability. *Microbiol Res* 206:33–42. <https://doi.org/10.1016/j.micres.2017.09.007>.
- Batista BD, Taniguti LM, Almeida JR, Azevedo JL, Quecine MC. 2016. Draft genome sequence of multitrait plant growth-promoting *Bacillus* sp. strain RZ2MS9. *Genome Announc* 4:e01402-16. <https://doi.org/10.1128/genomeA.01402-16>.
- Sambrook J, Russell DW. 2001. *Molecular cloning: a laboratory manual*, 3rd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- Koren S, Walenz BP, Berlin K, Miller JR, Bergman NH, Phillippy AM. 2017. Canu: scalable and accurate long-read assembly via adaptive k-mer weighting and repeat separation. *Genome Res* 27:722–736. <https://doi.org/10.1101/gr.215087.116>.
- Walker BJ, Abeel T, Shea T, Priest M, Abouelliel A, Sakthikumar S, Cuomo CA, Zeng Q, Wortman J, Young SK, Earl AM. 2014. Pilon: an integrated tool for comprehensive microbial variant detection and genome assembly improvement. *PLoS One* 9:e112963. <https://doi.org/10.1371/journal.pone.0112963>.
- Tatusova T, DiCuccio M, Badretdin A, Chetvernin V, Nawrocki EP, Zaslavsky L, Lomsadze A, Pruitt KD, Borodovsky M, Ostell J. 2016. NCBI Prokaryotic Genome Annotation Pipeline. *Nucleic Acids Res* 44:6614–6624. <https://doi.org/10.1093/nar/gkw569>.